WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Wednesday, May 02, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L105	L103 and (compil$3 near5 statistics)	1
☐	L104	L103 and l74	26
☐	L103	(optimiz$3 and query$3).ti. and @py<=2003	68
☐	L102	L101 and ((match$3 or compar$3) near5 condition$1)	1
☐	L101	L100 and (estimat$3 near5 value$1)	4
☐	L100	L88 and (select$4 near5 criteria)	21
☐	L99	L88 and (compil$3 near5 statistics)	0
☐	L98	L97 and estimat$3 and query$3 and approximat$4	1
☐	L97	L96 and (reference$3 same database$1)	22
☐	L96	l88 and recurs$5	34
		DB=USPT; PLUR=YES; OP=OR	
☐	L95	US-7010516-B2.did.	1
☐	L94	US-7010516-B2.did.	1
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L93	(optimiz$3 and quer$4 and estimat$3).ti. and @py<=2003	1
☐	L92	(optimiz$3 and quer$4 and recurs$5).ti. and @py<=2003	0
☐	L91	L90 and (recursiv$4 near5 value$1)	0
☐	L90	L89 and (estimat$3 near5 value$1)	3
☐	L89	L88 and (select$5 near5 expression$1)	36
☐	L88	L74 and (conditional near5 expression$1)	126
☐	L87	L86 and (conditional near5 expression$1)	0
☐	L86	6763359 .uref.	2
☐	L85	L84 and compli$3 and decompos$5	1
☐	L84	L83 and statistics	2
☐	L83	L82 and estimat$3 and optimiz$3	2
☐	L82	L81 and propert$3 and value$1	10
☐	L81	L80 and expression$1 and recurs$4	11
☐	L80	5806061 .uref.	49
☐	L79	L78 and (compil$4 near5 statistic$1) and @py<=2003	1
☐	L78	L76 and (select$5 near5 expression$1)	18

	L77	L76 and (atomic$5 near5 decompos$5)	0
☐	L77	L76 and (atomic$5 near5 decompos$5)	0
☐	L76	L75 and (selectivity near5 value$1)	85
☐	L75	L74 and (optimiz$3 near5 quer$4)	1309
☐	L74	707/2,3,5,102,103R.ccls.	16229
☐	L73	L71 and (estimat$3 near5 value$1)	0
☐	L72	L71 and (decompos$4 near5 algorithm$1)	0
☐	L71	L68 and (recursiv$3 near5 query)	41
☐	L70	L69 and select and project and join	3
☐	L69	L68 and (query near5 separ$4)	20
☐	L68	(query and decomposi$4 and relational and condition$1 and atomic) and @py<=2003	125
☐	L67	(query near5 decompos$4) and (atomic near5 tuple$1) and @py<=2003	1
☐	L66	(query$3 near5 spj) and atomic and (estimat$3 near5 value$1) and @py<=2003	0
☐	L65	6778976.uref.	2
☐	L64	6311181.uref.	5
☐	L63	L60 and decompos$3	2
☐	L62	L60 and atomic	0
☐	L61	L60 and atomic$4	0
☐	L60	(query$3 and estimat$3 and statistics).ti,ab. and @py<=2003	32
☐	L59	(query near5 expression$1) and (atomic$3 near5 decompos$4) and @py<=2003	7
☐	L58	L53 and (atomic$3 near5 decompos$4)	5
☐	L57	L54 and (decompos$3 near5 query$3)	9
☐	L56	L54 and decomps$3	0
☐	L55	L54 and (decomps$3 near5 query$1)	0
☐	L54	L53 and (query near5 expression$1) and predicat$4	128
☐	L53	tuple$1 and database$1 and query$3 and table$1 and @py<=2003	1811
☐	L52	L51 and (decompos$4 near5 query)	0
☐	L51	5832477.uref.	13
☐	L50	L49 and (recursiv$4 near5 query)	4
☐	L49	L48 and (query near5 expression$1)	10
☐	L48	L46 and (decomposit$4 near5 query)	18
☐	L47	L46 and (query near5 select$4) and (selective near5 factor$1)	0
☐	L46	(query near5 optimiz$3) and (query near5 plan) and @py<=2003	433
☐	L45	L44 and plans	2
☐	L44	L43 and decomposing	8
☐	L43	L42 and predicates	13
☐	L42	L41 and recursively	14

(query near5 decompos$3) and (query near5 expression$1) and (query near5

☐	L41	optimiz$3)	47
☐	L40	(query near5 decompos$3) and (query near5 expression$1) and (query near5 optimiz$3) and estimat$3 and cardinality and decompos$3 and expressiion$1 and @py<=2003	0
☐	L39	L37 and 'group by'	0
☐	L38	L37 and (query near5 groupby)	0
☐	L37	L36 and plan$1	12
☐	L36	L34 and optimiz$3	12
☐	L35	L34 and cartesian	1
☐	L34	L33 and expression$1	12
☐	L33	L32 and query	14
☐	L32	L31 and recursive	14
☐	L31	L30 and tuples	38
☐	L30	L29 and predicates	53
☐	L29	4769772.uref.	147
☐	L28	L26 and (query near5 decompos$3)	1
☐	L27	L26 and (query near5 seperable)	0
☐	L26	L25 and estimat$3	9
☐	L25	L24 and (query near5 select$3)	14
☐	L24	L23 and tuples	15
☐	L23	L22 and predicates	19
☐	L22	L21 and (query near5 expression$1)	25
☐	L21	(cartesian near5 product$1) and (query near5 optimiz$3) and @py<=2003	85
☐	L20	L19 and predicates	4
☐	L19	L18 and decompos$3	7
☐	L18	(cartesian near5 product$1) and (query near5 expression$1) and @py<=2003	36
☐	L17	(cartesian near5 product) and query cardinality and tuples	4
☐	L16	(cartesian near5 product) and query cardinality and tuples and decompos$3 and match$3 and recursive$3	0
☐	L15	(cartesian near5 product) and query cardinality and tuples and decompos$3 and match$3 and recursive$3 and @py<=2003	0
☐	L14	(cartesian near5 product) and (query near5 expression$1) and cardinality and tuples and decompos$3 and match$3 and recursive$3 and @py<=2003	0
☐	L13	(cartesian near5 product) and (query near5 expression$1) and optimiz$3 cardinality and tuples and decompos$3 and match$3 and recursive$3 and @py<=2003	0
☐	L12	(cartesian near5 product) and (query near5 expression$1) and optimiz$3 and estimat$3 and predicates and cardinality and tuples and decompos$3 and match$3 and recursive$3 and @py<=2003	0
☐	L11	(query near5 expression$1) and optimiz$3 and predicate$1 and table$1 and tuples and (decompos$3 near5 query) and (query near5 separable) and (query	0

		near5 cardinality) and (cartesian near5 product) and @py<=2002	
☐	L10	(query ner5 expression$1) and optimiz$3 and predicate$1 and table$1 and tuples and (decompos$3 near5 query) and (query near5 separable) and (query near5 cardinality) and (cartesian near5 product) and @py<=2002	0
☐	L9	(query ner5 expression$1) and optimiz$3 and predicate$1 and table$1 and tuples and (decompos$3 near5 query) and (query near5 separable) and (query near5 cardinality) and (cartesian near5 product) and @py<=2003	0
☐	L8	L7 and (tuples same predicate$1)	9
☐	L7	(cartesian and optimiz$3 and query and expression$1 and select$3 and factor$1 and condition$1 and estimat$3 and plan$1) and @py<=2003	109
☐	L6	L5 and plan$1	5
☐	L5	L4 and estimat$3	6
☐	L4	L3 and statistics	6
☐	L3	(query and optimiz$3 and cartesian and expression$1 and predicate$1 and decompos$3) and @py<=2003	16
☐	L2	((query near5 optimiz$3) and tuple$1 or attribut$1) and predicate$1 and (query near5 select$4) and (query near5 expression$1) and estimat$3 and plan$1 and value and condition$1 and statistics and match$3 and decompos$3 and recursiv$3 and cartesian and table$1 and @py<=2003	0
☐	L1	((query near5 optimiz$3) and tuple$1 or attribut$1) and predicate$1 and (query near5 select$4) and (query near5 expression$1) and estimat$3 and plan$1 and value and condition$1 and statistics and match$3 and decompos$3 and recursiv$3 and cartesian and table$1 and @py<=2004	0

END OF SEARCH HISTORY

WEST Search History

DATE: Thursday, May 03, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L5	(statistics and query$3 and optimiz$3).ti. and @py<=2003	6
		DB=USPT; PLUR=YES; OP=OR	
☐	L4	US-6915290-B2.did.	1
☐	L3	US-6915290-B2.did.	1
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L2	(query$3 and optimiz$4 and expression$3).ti. and @py<=2003	5
☐	L1	(query$3 and optimiz$4 and recurs$5).ti. and @py<=2003	0

END OF SEARCH HISTORY

WEST Search History

DATE: Wednesday, May 02, 2007

Hide?	Set Name	Query	Hit Count
☐	L16	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix) and conditional and express$4 and alternative and (combin$3 or add$3) and product$1 and compil$3 and atom$5).clm.	0
☐	L15	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix) and conditional and express$4 and alternative and (combin$3 or add$3) and product$1 and compil$3).clm.	1
☐	L14	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix) and conditional and express$4 and alternative and (combin$3 or add$3)).clm.	1
☐	L13	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix) and conditional and express$4 and alternative).clm.	1
☐	L12	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix) and conditional and express$4 and atomic).clm.	0
☐	L11	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix) and conditional and express$4).clm.	1
☐	L10	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3) and (statistics or matrix)).clm.	1
☐	L9	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and (match$3 or compar$3)).clm.	1

☐	L8	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3).clm.	1
☐	L7	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5 and decompos$3 and atomic and input$3).clm.	0
☐	L6	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separ$5).clm.	1
☐	L5	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data) and stor$3 and separable).clm.	1
☐	L4	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1) and (value$1 or data)).clm.	1
☐	L3	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4 and (factor$1 or condition$1)).clm.	1
☐	L2	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4 and select$4).clm.	4
☐	L1	(approxim$5 and (tuple$1 or attribute$1) and optimiz$4 and quer$4 and (database$1 or data$base$1) and estimat$4).clm.	5

END OF SEARCH HISTORY